Substitute	or form 1449A/PTO			Complete if Known		
			•	Application Number	NOT YET ASSIGNED	
INFO	RMATION D	ISC	CLOSURE	Filing Date	ON EVEN DATED HEREWITH	
STAT	EMENT BY	AP	PLICANT	First Named Inventor	Carlo RICCARDI	
• • • • • • • • • • • • • • • • • • • •				Group Art Unit		
(use as many sheets as necessary)				Examiner Name		
Sheet	1	of	2	Attorney Docket Number	RICCARDI=1A	

Dublisher, city and/or country where published AR BARRETT et al., Coordinate regulation of glucocorticoid receptor and c-jun gene expression is cell type-specific and exhibits differential hormonal sensitivity for down- and up-regulation. Bjochemistry 35(30):9746-9753 (1996) AB D'ADAMIO et al., A new dexamethasone-induced gene of the leucine zipper family protects T hymphocytes from TCR/CO3-activated cell death, Immunity. 7(6):803-812 (1997) AC FENG et al., Glucocorticoid and progesterone inhibit involution and programmed cell death in the mouse imammary gland. J. Cell Biol., 131(4):1095-1103 (1995) AD JAY et al., Cloning of the human homologue of the TGF beta-stimulated clone 22 gene, Blochem, Blophys. Res. Commun., 222(3):821-828 (1996) AE JEHN et al., Gene regulation associated with apoptosis, Crit. Rev. Eukarvol. Gene Expr., 7(1-2):179-193 (1997) AF KATO et al., Inhibition by dexamethasone of human neutrophil apoptosis in vitro, Nat Immun., 14(4):198-208 (1995) AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity. 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Blochem. J., 324 (Pl 3):777-782 (1997) AI SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Blochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Blochem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drospohila shortsighted (shs)—is expressed in a large number of human tissues, Blochim. Blophys. Acta., 1309(3):200-204 (1996)			OTHER PRIOR ART - NON PATENT LITERATURE DOCUMENTS	
and exhibits differential hormonal sensitivity for down- and up-regulation. Biochemistry 35(30):9746-9753 (1996) AB D'ADAMIO et al., A new dexamethasone-induced gene of the teucine zipper family protects T lymphocytes from TCR/CD3-activated cell death, Immunity, 7(6):803-812 (1997) AC FENG et al., Glucocorticoid and progesterone inhibit involution and programmed cell death in the mouse mammary gland, J. Cell Biol., 131(4):1095-1103 (1995) AD JAY et al., Cloning of the human homologue of the TGF beta-stimulated clone 22 gene, Biochem. Biophys. Res. Commun., 222(3):821-826 (1996) AE JEHN et al., Gene regulation associated with apoptosis, Crit. Rev. Eukaryot. Gene Expr., 7(1-2):179-193 (1997) AF KATO et al., Inhibition by dexamethasone of human neutrophil apoptosis in vitro, Nat Immun., 14(4):198-208 (1995) AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity, 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Biochem. J., 324 (Pt 3):777-782 (1997) AI SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Biochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Biol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (she)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1998)			item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), votume-issue number(s),	T ²
TCR/CD3-activated cell death, Immunity, 7(6):803-812 (1997) AC FENG et al., Glucocorticoid and progesterone Inhibit involution and programmed cell death in the mouse mammary gland, J. Cell Biol., 131(4):1095-1103 (1995) AD JAY et al., Cloning of the human homologue of the TGF beta-stimulated clone 22 gene, Biochem, Biophys. Res. Commun., 222(3):821-826 (1996) AE JEHN et al., Gene regulation associated with apoptosis, Crit. Rev. Eukaryot. Gene Expr., 7(1-2):179-193 (1997) AF KATO et al., Inhibition by dexamethasone of human neutrophil apoptosis in vitro, Nat Immun., 14(4):198-208 (1995) AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity, 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Biochem. J., 324 (Pt 3):777-782 (1997) AI SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Biochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Biol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1996)	Na	АА Э	BARRETT et al., Coordinate regulation of glucocorticold receptor and c-jun gene expression is cell type-specific and exhibits differential hormonal sensitivity for down- and up-regulation, Biochemistry 35(30):9746-9753 (1996)	
mammary gland, J. Cell Biol., 131(4):1095-1103 (1995) AD JAY et al., Cloning of the human homologue of the TGF beta-stimulated clone 22 gene, Biochem, Biophys, Res. Commun., 222(3):821-826 (1996) AE JEHN et al., Gene regulation associated with apoptosis, Crit. Rev. Eukaryot, Gene Expr., 7(1-2):179-193 (1997) AF KATO et al., Inhibition by dexamethasone of human neutrophil apoptosis in vitro, Nat Immun., 14(4):198-208 (1995) AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity. 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Biochem. J., 324 (Pt 3):777-782 (1997) AI SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Biochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Biol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1996)		AB	D'ADAMIO et al., A new dexamethasone-induced gene of the leucine zipper family protects T lymphocytes from TCR/CD3-activated cell death, lmmunity. , 7(6):803-812 (1997)	
AE JEHN et al., Gene regulation associated with apoptosis, Crit. Rev. Eukaryot. Gene Expr., 7(1-2):179-193 (1997) AF KATO et al., Inhibition by dexamethasone of human neutrophil apoptosis in vitro, Nat Immun., 14(4):198-208 (1995) AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity, 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Blochem. J., 324 (Pt 3):777-782 (1997) AI SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Blochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Blol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1996)		AC	FENG et al., Glucocorticoid and progesterone inhibit involution and programmed cell death in the mouse mammary gland, <u>J. Cell Biol.</u> , 131(4):1095-1103 (1995)	
AF KATO et al., Inhibition by dexamethasone of human neutrophil apoptosis <i>in vitro</i> , Nat Immun., 14(4):198-208 (1995) AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity, 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Blochem. J., 324 (Pt 3):777-782 (1997) Al SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Blochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Biol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1996)		AD		
AG KING et al., A targeted glucocorticoid receptor antisense transgene increases thymocyte apoptosis and alters thymocyte development, Immunity. 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Biochem. J., 324 (Pt 3):777-782 (1997) Al SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Biochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Biol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1996)		AE	JEHN et al., Gene regulation associated with apoptosis, Crit. Rev. Eukaryot. Gene Expr., 7(1-2):179-193 (1997)	
thymocyte development, Immunity. 3(5):647-656 (1995) AH OHTA et al., Mechanism of apoptotic cell death of human gastric carcinoma cells mediated by transforming growth factor beta, Biochem. J., 324 (Pt 3):777-782 (1997) Al SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, Eur. J. Biochem., 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, J. Biol. Chem., 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, Biochim. Biophys. Acta, 1309(3):200-204 (1996)		AF		
growth factor beta, <u>Blochem. J.</u> , 324 (Pt 3):777-782 (1997) Al SILLARD et al., A novel 77-residue peptide from porcine brain contains a leucine-zipper motif and is recognized by an antiserum to delta-sleep-inducing peptide, <u>Eur. J. Blochem.</u> , 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, <u>J. Biol. Chem.</u> , 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, <u>Biochim. Biophys. Acta</u> , 1309(3):200-204 (1996)		AG		
by an antiserum to delta-sleep-inducing peptide, <u>Eur. J. Biochem.</u> , 216(2):429-436 (1993) AJ SHIBANUMA et al., Isolation of a gene encoding a putative leucine zipper structure that is induced by transforming growth factor beta 1 and other growth factors, <u>J. Biol. Chem.</u> , 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, <u>Biochim. Biophys. Acta</u> , 1309(3):200-204 (1996)		AH		
transforming growth factor beta 1 and other growth factors, <u>J. Biol. Chem.</u> , 267(15):10219-10224 (1992) AK VOGEL et al., hDIP—a potential transcriptional regulator related to murine TSC-22 and Drosophila shortsighted (shs)—is expressed in a large number of human tissues, <u>Biochim. Biophys. Acta</u> , 1309(3):200-204 (1996)		Al		
(shs)—is expressed in a large number of human tissues, <u>Biochim. Biophys. Acta</u> , 1309(3):200-204 (1996)		AJ		
At MANO and For and establish induced for the edge of Tariffe Address of For		AK		
ligand expression by retinoic acid and glucocorticoids, <u>J. Exp. Med.</u> , 181(5):1673-1682 (1995)		AL	YANG et al., Fas and activation-induced Fas ligand mediate apoptosis of T cell hybridomas: inhibition of Fas ligand expression by retinoic acid and glucocorticoids, <u>J. Exp. Med.</u> , 181(5):1673-1682 (1995)	-

Examiner Signature	/Joseph Woitach/	Date Considered	9/3/64

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.



¹ Unique citation designation number. ² Applicant is to place a check mark here if English language Translation is attached.

Substitute I	or form 1449A/PTO			Complete if Known		
				Application Number	NOT YET ASSIGNED	
INFO	RMATION D	ISC	LOSURE	Filing Date	ON EVEN DATED HEREWITH	
STATEMENT BY APPLICANT				First Named Inventor	Carlo RICCARDI	
. •			. 2.0,	Group Art Unit		
	(use as many sheet	s as n	ecessary)	Examiner Name		
Sheet	2	of	2	Attorney Docket Number	RICCARDI=1A	

xaminer	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T
-)ú	AM)	Muller OG, Pamova RG, Centeno G, Rossier BC, Firsov D, Horisberger JD., Mineralocorticoid effects in the kidney: correlation between alphaENaC, GILZ, and Sgk-1 mRNA expression and urinary excretion of Na+ and K+, <u>J Am Soc Nephrol.</u> 2003 May;14(5):1107-15.	
	AÑ	Shi X, Shi W, Li Q, Song B, Wan M, Bai S, Cao X., A glucocorticoid-induced leucine-zipper protein, GILZ, inhibits adipogenesis of mesenchymal cells. EMBO Rep. 2003 Apr;4(4):374-80.	
	AO	Ingram WJ, Wicking CA, Grimmond SM, Forrest AR, Wainwright BJ., Novel genes regulated by Sonic Hedgehog In pluripotent mesenchymal cells. Oncogene. 2002 Nov 21;21(53):8196-205.	
	ΑP	Berrebi D, Bruscoli S, Cohen N, Foussat A, Migliorati G, Bouchet-Delbos L, Malllot MC, Portler A, Couderc J, Galanaud P, Peuchmaur M, Riccardi C, Emilie D., Synthesis of glucocorticoid-induced leucine zipper (GILZ) by macrophages: an anti inflammatory and immunosuppressive mechanism shared by glucocorticoids and IL-10. Blood. 2003 Jan 15;101(2):729-38. Epub 2002 Sep 12.	
	AQ	Ayroldi E, Zollo O, Macchiarulo A, Di Marco B, Marchetti C, Riccardi C., Glucocorticoid-induced leucine zipper inhibits the Raf-extracellular signal-regulated kinase pathway by binding to Raf-1. Mol Cell Biol. 22(22):7929-41 Nov 2002	
	AR	Riccardi C, Bruscoli S, Ayroldi E, Agostini M, Migliorati G., GILZ, a glucocorticoid hormone induced gene, modulates T lymphocytes activation and death through interaction with NF-kB. Adv Exp Med Biol, 495:31-9, 2001.	
	AS	Ayroldi E, Migliorati G, Bruscoli S, Marchetti C, Zollo O, Cannarile L, D'Adamio F, Riccardi C., Modulation of T-cell activation by the glucocorticoid-induced leucine zipper factor via inhibition of nuclear factor kappaB. <u>Blood.</u> 2001 Aug 1;98(3):743-53.	
	AT	Mittelstadt PR, Ashwell JD., Inhibition of AP-1 by the glucocorticold-inducible protein GILZ., <u>J Biol Chem</u> . 2001 Aug 3;276(31):29603-10. Epub 2001 Jun 07.	
	ΑŲ	Cannartle L, Zollo O, D'Adamio F, Ayroldi E, Marchetti C, Tabilio A, Bruscoli S, Riccardi C., Cloning, chromosomal assignment and tissue distribution of human GILZ, a glucocorticoid hormone-induced gene. Cell Death Differ. 2001 Feb;8(2):201-3.	
	AV	Robert-Nicoud M, Flahaut M, Elalouf JM, Nicod M, Salinas M, Bens M, Doucet A, Wincker P, Artiguenave F, Horlsberger JD, Vandewalle A, Rossier BC, Firsov D., Transcriptome of a mouse kidney cortical collecting duct cell line: effects of aldosterone and vasopressin., Proc Natl Acad Sci U S A. 2001 Feb 27;98(5):2712-6. Epub 2001 Feb 20.	
	AW	Riccardi C, Zollo O, Nocentini G, Bruscoli S, Bartoli A, D'Adamio F, Cannarile L, Delfino D, Ayroldi E, Migliorati G. Glucocorticold hormones in the regulation of cell death. Therapie. 2000 Jan-Feb;55(1):165-9.	
	AX	Riccardi C, Cifone MG, Migliorati G., Glucocorticold hormone-induced modulation of gene expression and regulation of T-cell death: role of GITR and GILZ, two dexamethasone-induced genes., Cell Death Differ. 1999; 6: 1182-9. (Comment In: Cell Death Differ. 1999 6: 1144-5.)	
	AY	D'Adamio F, Zollo O, Moraca R, Ayroldi E, Bruscoli S, Bartoli A, Cannarile L, Migliorati G, Riccardi C., A new dexamethasone-induced gene of the leucine zipper family protects T lymphocytes from TCR/CD3-activated cell death. Immunity. 1997 Dec;7(6):803-12.	

Examiner Signature	/Joseph Woitach/	Date Considered	9/3/06

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant.

¹ Unique citation designation number. 2 Applicant is to place a check mark here if English language Translation is attached.

Substitute	for form 1449A/PT	0		Complete if Known		
222001270		-		Application Number	10/630,926	
INFO	RMATIO	N DISC	LOSURE	Filing Date	July 31, 2003	·
STAT	FMFNT	BY AP	PLICANT	First Named Inventor	Carlo RICCARDI	
		5 . ,	. 2.07	Group Art Unit	1632	
	(use as many	sheets as n	ecessary)	Examiner Name	L. D. Lieto	:
Sheet	1	of	1	Attorney Docket Number	RICCARDI1A	

NON PATENT LITERATURE DOCUMENTS / OTHER INFORMATION					
Examiner Initials*	Cite No.1	Include name of the author (in CAPITAL LETTERS), title of article (when appropriate), title of the item (book, magazine, journal, serial, symposium, catalog, etc.), date, page(s), volume-issue number(s), publisher, city and/or country where published	T²		
Ju	AZ)	OHTA et al., Molecular cloning and characterization of a transcription factor for the C-type natriuretic peptide gene promoter, <i>Eur. J. Biochem.</i> , 242:460-466 (1996)			
. •					

- -					
Exami Signat		Date Considered 9/3/06			

^{*} EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 809. Draw line through citation if not in conformance and not considered. Include copy of this form with next communication to applicant. Applicant's unique citation designation number (optionst). See Kind Codes of USPTO Patent Documents at www.uspto.gov or MPEP 901.04. Enter Office that issued the document, by the two-letter code (WIPO Standard ST.3). For Japanese patent documents, the indication of the year of the reign of the Emperor must precede the serial number of the patent document. Kind of document by the appropriate symbols as indicated on the document under WIPO Standard ST.16 if possible. Applicant is to place a check mark here if English language Translation is attached.